



IMSBC Code

This is an electronically signed document in accordance with IMO FAL.5/Circ.39 and does not require a handwritten signature. Validation and authentication of the paper printout may be obtained from <https://ecertificate.rina.org>

ARKLOW RALLY

General cargo ship - double side-skin - heavycargo

Rina No. 100877

IMO No. 9923229

Certificate No. 100877-V012-002

UTN



**STATEMENT OF COMPLIANCE FOR THE CARRIAGE OF
SOLID CARGOES IN BULK**

No. 100877-V012-002

Ireland

Name of ship	RINA Number	Flag
ARKLOW RALLY	100877	Ireland
Port of Registry	IMO Number	Distinctive Number or Letters
ARKLOW	9923229	EIA2288

Type of ship: General Cargo

THIS IS TO CERTIFY:

1. that the construction and equipment of the above-mentioned ship were found to comply with the provisions of the reg. II-2/54 SOLAS '74 or reg. II-2/19 SOLAS '74, as applicable, reg.VII/7-5 SOLAS'74 as amended by IMO Res. MSC.269(85), the International Maritime Solid Bulk Cargoes (IMSBC) Code, and
2. that the ship is suitable for the carriage of the solid bulk cargoes as specified on page 2 of this Statement subject to any provisions in the International Maritime Solid Bulk Cargoes (IMSBC) Code for individual cargoes also being complied with.

This Statement is valid until: **19 June 2028**

Issued at: Southampton, UK

on: 22 June 2026

Hasan Alper ASIK

RINA SERVICES S.p.A.

CARGOES		CARGO SPACES (*)		
		A	B	C
GROUP A	Cargoes, listed in Group A, which may liquefy, but having, when shipped, a moisture content not exceeding the "transportable moisture limit";	Y		
GROUP B	Cargoes possessing chemical hazards	Y		
GROUP C	Cargoes, listed in Group C, which are not liable to liquefy or to possess chemical hazards, having an angle of repose of not less than 30°;	Y		

(*) **Y:** Allowed **X:** Not allowed

General notes:

- **The cargoes that may be carried are those for which the pertinent requirements in the “Record for the carriage of solid cargoes in bulk” n. 100877-R001-021 attached to the present Statement are complied with.** For a cargo ship whose keel was laid after 1 September 1984 (1 February 1992, if tonnage < 500 GT) , for Group B cargoes belonging to classes 4.1 to 9 a Document of Compliance is also necessary
- All cargoes are to be loaded and carried according to the provisions contained in the ship’s approved stability booklet/loading manual.

CARGO SPACES



UNDER DECK SPACES

Spaces	Description of cargo spaces (**)
A	All Cargo Holds
B	
C	

(**): see table below for possible additional notes/requirements for the carriage of specific cargoes

N.	Cargo	Group	Group of Excluded Hold(s)	Notes
1.	ALFALFA	C		
2.	ALUMINIUM FLUORIDE	A		
3.	ALUMINIUM NITRATE UN 1438	B (class: 5.1)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required!
4.	AMMONIUM NITRATE BASED FERTILIZER (non-hazardous) with Angle of Repose $\leq 30^\circ$	C		
5.	AMMONIUM NITRATE BASED FERTILIZER (non-hazardous) with Angle of Repose $> 30^\circ$	C		The Master is responsible to check the actual value of Angle of Repose
	AMMONIUM NITRATE BASED FERTILIZER UN 2067 with Angle of Repose $> 30^\circ$	B (class: 5.1)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required! The Master is responsible to check the actual value of Angle of Repose
6.	AMMONIUM NITRATE BASED FERTILIZER UN 2067 with Angle of Repose $\leq 30^\circ$	B (class: 5.1)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required!
7.	AMMONIUM NITRATE BASED FERTILIZER UN 2071 with Angle of Repose $> 30^\circ$	B (class: 9)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required! The Master is responsible to check the actual value of Angle of Repose
8.	AMMONIUM NITRATE BASED FERTILIZER UN 2071 with Angle of Repose $\leq 30^\circ$	B (class: 9)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required!
9.	AMMONIUM NITRATE UN 1942 with Angle of Repose $> 30^\circ$	B (class: 5.1)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required! The Master is responsible to check the actual value of Angle of Repose
10.	AMMONIUM NITRATE UN 1942 with Angle of Repose $\leq 30^\circ$	B (class: 5.1)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required!
11.	AMMONIUM SULPHATE	C		Note: This cargo may possess an angle of repose greater than, equal to or lower than 30° . In case that the cargo to be loaded has an angle of repose equal to or lower than 30° , it is the responsibility of the Master to assure that it shall be carried according to the provisions applicable to the stowage of grain cargoes (see Section 5, paragraph 5.4.3, of the Code).
12.	AMORPHOUS SODIUM SILICATE LUMPS	B (class: MHB)		
13.	ANTIMONY ORE AND RESIDUE	C		
14.	BARIUM NITRATE UN 1446	B (class: 5.1)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required!
15.	BARYTES	C		
16.	BAUXITE	C		
17.	BIOSLUDGE	C		
18.	BORAX (PENTAHYDRATE CRUDE)	C		
19.	BORAX, ANHYDROUS, crude or refined	C		
20.	BORIC ACID	B (class: MHB)		

21.	BROWN COAL BRIQUETTES	B (class: MHB)		
22.	CALCIUM NITRATE FERTILIZER	C		
23.	CALCIUM NITRATE UN 1454	B (class: 5.1)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required!
24.	CARBORUNDUM	C		
25.	CASTOR BEANS or CASTOR MEAL or CASTOR POMACE or CASTOR FLAKE UN 2969	B (class: 9)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required!
26.	CEMENT	C		
27.	CEMENT CLINKERS	C		
28.	CEMENT COPPER (included in Mineral concentrates)	A		
29.	CHAMOTTE	C		
30.	CHARCOAL	B (class: MHB)		Charcoal Class 4.2 cannot be carried in bulk and hot charcoal screenings in excess of 55°C shall not be loaded.
31.	CHEMICAL GYPSUM	A		
32.	CHOPPED RUBBER AND PLASTIC INSULATION	C		Note: The Master is to consider that when the planned interval between the commencement of loading and the completion of discharge of this cargo exceeds 5 days, the cargo shall not be accepted for loading unless the cargo is to be carried in cargo spaces fitted with a fixed gas fire-extinguishing system.
33.	CHROME PELLETS	C		
34.	CHROMITE ORE	C		
35.	CLAY	C		
36.	CLINKER ASH, WET	B (class: MHB)		Note: it may also be in Group A
37.	COAL	B (class: MHB)		note: it may also be in Group A
38.	COAL SLURRY	A		
39.	COAL TAR PITCH	B (class: MHB)		
40.	COARSE CHOPPED TYRES	C		Note: The Master is to consider that when the planned interval between the commencement of loading and the completion of discharge of this cargo exceeds 5 days, the cargo shall not be accepted for loading unless the cargo is to be carried in cargo spaces fitted with a fixed gas fire-extinguishing system.
41.	COARSE IRON AND STEEL SLAG AND ITS MIXTURE	C		
42.	COKE	C		
43.	COKE BREEZE	A		
44.	COLEMANITE	C		
45.	COPPER CONCENTRATE (included in Mineral concentrates)	A		
46.	COPPER GRANULES	C		
47.	COPPER MATTE	C		
48.	COPPER SLUG	A		
49.	COPRA (dry) UN 1363	B (class: 4.2)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required!
50.	CRUSHED CARBON ANODES	C		
51.	CRYOLITE	C		

52.	DIAMMONIUM PHOSPHATE	C		Note: This cargo may possess an angle of repose greater than, equal to or lower than 30°. In case that the cargo to be loaded has an angle of repose equal to or lower than 30°, it is the responsibility of the Master to assure that it shall be carried according to the provisions applicable to the stowage of grain cargoes (see Section 5, paragraph 5.4.3, of the Code).
53.	DIRECT REDUCED IRON (A) Briquettes, hot-moulded	B (class: MHB)		
54.	DISTILLERS DRIED GRAINS WITH SOLUBLES	C		
55.	DOLOMITE	C		
56.	FELSPAR LUMP	C		
57.	FERROCHROME	C		
58.	FERROCHROME, exothermic	C		
59.	FERROMANGANESE	C		
60.	FERRONICKEL	C		
61.	FERROUS METAL BORINGS, SHAVINGS, TURNINGS or CUTTINGS UN 2793	B (class: 4.2)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required!
62.	FERROUS SULPHATE HEPTAHYDRATE	C		
63.	FERTILIZERS WITHOUT NITRATES (non-hazardous)	C		
64.	FISH (IN BULK)	A		
65.	FLUORSPAR	B (class: MHB)		
66.	FLY ASH, DRY	C		
67.	FLY ASH, WET	A		
68.	FOAM GLASS GRAVEL	C		
69.	FOUNDRY SAND (included in SAND)	C		
70.	GLASS CULLET	C		
71.	GRAIN SCREENING PELLETS	C		
72.	GRANULAR FERROUS SULPHATE	C		
73.	GRANULATE TYRE RUBBER	C		Note: The Master is to consider that when the planned interval between the commencement of loading and the completion of discharge of this cargo exceeds 5 days, the cargo shall not be accepted for loading unless the cargo is to be carried in cargo spaces fitted with a fixed gas fire-extinguishing system.
74.	GRANULATED NICKEL MATTE (LESS THAN 2% MOISTURE CONTENT)	B (class: MHB)		
75.	GRANULATED SLAG	C		
76.	GYPHUM	C		
77.	GYPHUM GRANULATED	C		
78.	ILMENITE (ROCK)	C		
79.	ILMENITE (UPGRADED)	A		
80.	ILMENITE CLAY	A		
81.	ILMENITE SAND	C		Note: If the moisture content is above 2% this cargo may only be carried if the ship meets the requirement for the carriage of Group A cargoes.
82.	IRON AND STEEL SLAG AND ITS MIXTURE	A		
83.	IRON CONCENTRATE (included in Mineral concentrates)	A		

84.	IRON CONCENTRATE (pellet feed) (included in Mineral concentrates)	A		
85.	IRON CONCENTRATE (sinter feed) (included in Mineral concentrates)	A		
86.	IRON ORE	C		
87.	IRON ORE FINES	A		
88.	IRON ORE PELLETS	C		
89.	IRON OXIDE TECHNICAL	A		
90.	IRON SINTER	C		
91.	IRON SMELTING BY PRODUCT	A		
92.	IRONSTONE	C		
93.	LABRADORITE	C		
94.	LEAD AND ZINC CALCINES (mixed) (included in Mineral concentrates)	A		
95.	LEAD AND ZINC MIDDINGS (included in Mineral concentrates)	A		
96.	LEAD CONCENTRATE (included in Mineral concentrates)	A		
97.	LEAD NITRATE UN 1469	B (class: 5.1)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required!
98.	LEAD ORE	C		
99.	LEAD ORE RESIDUE (included in Mineral concentrates)	A		
100.	LEAD SILVER CONCENTRATE (included in Mineral concentrates)	A		
101.	LIME (UNSLAKED)	B (class: MHB)		
102.	LIMESTONE	C		
103.	LINTED COTTON SEED	B (class: MHB)		
104.	MAGNESIA (DEADBURNED)	C		
105.	MAGNESIA (UNSLAKED)	B (class: MHB)		
106.	MAGNESITE, natural	C		
107.	MAGNESIUM NITRATE UN 1474	B (class: 5.1)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required!
108.	MAGNESIUM SULPHATE FERTILIZERS	C		Note: This cargo may possess an angle of repose greater than, equal to or lower than 30°. In case that the cargo to be loaded has an angle of repose equal to or lower than 30°, it is the responsibility of the Master to assure that it shall be carried according to the provisions applicable to the stowage of grain cargoes (see Section 5, paragraph 5.4.3, of the Code).
109.	MANGANESE COMPONENT FERROALLOY SLAG	C		
110.	MANGANESE CONCENTRATE (included in Mineral concentrates)	A		
111.	MANGANESE ORE	C		
112.	MANGANESE ORE FINES	A		
113.	MARBLE CHIPS	C		
114.	METAL SULPHIDE CONCENTRATES	B (class: MHB)		Note: It may be also in Group A

115.	METAL SULPHIDE CONCENTRATES, Corrosive UN 1759	B (class: 8 or MHB)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required! Note: It may be also in Group A
116.	MONOAMMONIUM PHOSPHATE (M.A.P.)	C		
117.	MONOAMMONIUM PHOSPHATE (M.A.P.), MINERAL ENRICHED COATING	B (class: MHB)		
118.	MONOCALCIUMPHOSPHATE (MCP)	B (class: MHB)		It may also be in Group A
119.	NEFELENE SYENITE (mineral) (included in Mineral concentrates)	A		
120.	NICKEL CONCENTRATE (included in Mineral concentrates)	A		
121.	NICKEL ORE	A		
122.	OLIVINE GRANULAR AND GRAVEL AGGREGATE PRODUCTS	C		
123.	OLIVINE SAND	A		
124.	PEANUTS (in shell)	C		
125.	PEAT MOSS	B (class: MHB)		Note: It may be also in Group A
126.	PEBBLES (sea)	C		
127.	PELLETS (concentrates)	C		
128.	PENTAHYDRATE CRUDE (included in Mineral concentrates)	A		
129.	PERLITE ROCK	C		
130.	PETROLEUM COKE (calcined or uncalcined)	B (class: MHB)		
131.	PHOSPHATE (defluorinated)	C		
132.	PHOSPHATE ROCK	C		
133.	PIG IRON	C		
134.	PITCH PRILL	B (class: MHB)		
135.	POTASH	C		
136.	POTASSIUM CHLORIDE	C		Note: The Master is to consider that if the angle of repose of the goods loaded is equal to 30° it shall be carried according to the provisions applicable to the stowage of grain cargoes (see Section 5, paragraph 5.4.3, of the Code).
137.	POTASSIUM FELSPAR SAND (included in SAND)	C		
138.	POTASSIUM NITRATE UN 1486 with Angle of Repose > 30°	B (class: 5.1)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required! The Master is responsible to check the actual value of Angle of Repose
139.	POTASSIUM NITRATE UN 1486 with Angle of Repose ≤ 30°	B (class: 5.1)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required!
140.	POTASSIUM SULPHATE	C		
141.	PUMICE	C		
142.	PYRITE (containing copper and iron)	C		
143.	PYRITES (included in Mineral concentrates)	A		

144	PYRITES, CALCINED (Calcined Pyrites)	B (class: MHB)		It may also be in Group A
145	PYRITIC ASHES (iron) (included in Mineral concentrates)	A		
146	PYRITIC CINDERS (included in Mineral concentrates)	A		
147	PYROPHYLLITE	C		
148	QUARTZ	C		
149	QUARTZ SAND (included in SAND)	C		
150	QUARZITE	C		
151	RADIOACTIVE MATERIAL SURFACE CONTAMINATED OBJECTS (SCO-1), non-fissile or fissile-excepted, UN 2913	B (class: 7)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required!
152	RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-1) non-fissile or fissile-excepted, UN 2912	B (class: 7)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required!
153	RASORITE (ANHYDROUS)	C		
154	RUTILE SAND	C		
155	SALT	C		
156	SALT CAKE	C		
157	SALT ROCK	C		
158	SAND, HEAVY MINERAL	A		
159	SAND, MINERAL CONCENTRATE, RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-I) UN 2912	B (class: 7 and MHB)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required! Note: it may also be in Group A
160	SAWDUST	B (class: MHB)		
161	SCALE GENERATED FROM THE IRON AND STEEL MAKING PROCESS	A		
162	SCRAP METAL	C		
163	SEED CAKE (not hazardous)	C		
164	SILICA SAND (included in SAND)	C		
165	SILICOMANGANESE (carbo-thermic)	C		
166	SILICON SLAG	C		
167	SILVER LEAD CONCENTRATE (included in Mineral concentrates)	A		
168	SLIG (iron ore) (included in Mineral concentrates)	A		
169	SODA ASH (Dense and light)	C		
170	SODA FELSPAR SAND (included in SAND)	C		
171	SODIUM NITRATE AND POTASSIUM NITRATE MIXTURE UN 1499 with Angle of Repose $\leq 30^\circ$	B (class: 5.1)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required!
172	SODIUM NITRATE AND POTASSIUM NITRATE MIXTURE UN 1499 with Angle of Repose $> 30^\circ$	B (class: 5.1)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required! The Master is responsible to check the actual value of Angle of Repose
173	SODIUM NITRATE UN 1498	B (class: 5.1)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required!

174	SOLIDIFIED FUELS RECYCLED FROM PAPER AND PLASTICS	B (class: MHB)		Materials classified as dangerous good class 4.2 are not included in this schedule
175	SPODUMENE (UPGRADED)	A		
176	STAINLESS STEEL GRINDING DUST	C		
177	STONE CHIPPINGS	C		
178	SUGAR	C		
179	SUGARCANE BIOMASS PELLETS	B (class: MHB)		
180	SULPHATE OF POTASH AND MAGNESIUM	C		
181	SULPHUR (formed, solid)	C		
182	SULPHUR UN 1350 (crushed lump and coarse grained)	B (class: 4.1)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required!
183	SUPERPHOSPHATE	C		Note: This cargo may possess an angle of repose greater than, equal to or lower than 30°. In case that the cargo to be loaded has an angle of repose equal to or lower than 30°, it is the responsibility of the Master to assure that it shall be carried according to the provisions applicable to the stowage of grain cargoes (see Section 5, paragraph 5.4.3, of the Code).
184	SUPERPHOSPHATE (triple, granular)	C		
185	SYNTHETIC CALCIUM FLUORIDE	A		
186	SYNTHETIC SILICON DIOXIDE	A		
187	TACONITE PELLETS	C		
188	TALC	C		
189	TANKAGE	B (class: MHB)		
190	TAPIOCA	C		
191	TITANOMAGNETITE SAND	A		
192	UREA	C		Note: This cargo may possess an angle of repose greater than, equal to or lower than 30°. In case that the cargo to be loaded has an angle of repose equal to or lower than 30°, it is the responsibility of the Master to assure that it shall be carried according to the provisions applicable to the stowage of grain cargoes (see Section 5, paragraph 5.4.3, of the Code).
193	VANADIUM ORE	B (class: MHB)		
194	VERMICULITE	C		
195	WHITE QUARTZ	C		
196	WOOD PELLETS CONTAINING ADDITIVES AND/OR BINDERS with Angle of Repose $\leq 30^\circ$	B (class: MHB (WF))		Document of Compliance for the transport of dangerous goods, specific for this product class, is required!
197	WOOD PELLETS CONTAINING ADDITIVES AND/OR BINDERS with Angle of Repose $> 30^\circ$	B (class: MHB (WF))		Document of Compliance for the transport of dangerous goods, specific for this product class, is required! The Master is responsible to check the actual value of Angle of Repose
198	WOOD PELLETS NOT CONTAINING ADDITIVES AND/OR BINDERS with Angle of Repose $\leq 30^\circ$	B (class: MHB (OH))		Document of Compliance for the transport of dangerous goods, specific for this product class, is required!

199	WOOD PELLETS NOT CONTAINING ADDITIVES AND/OR BINDERS with Angle of Repose > 30°	B (class: MHB (OH))		Document of Compliance for the transport of dangerous goods, specific for this product class, is required! The Master is responsible to check the actual value of Angle of Repose
200	WOOD PRODUCT - GENERAL	B (class: MHB)		* New product introduced by resolution MSC318(89)
201	WOOD TORREFIED with Angle of Repose > 30°	B (class: MHB)		The Master is responsible to check the actual value of Angle of Repose
202	WOOD TORREFIED with Angle of Repose ≤ 30°	B (class: MHB)		
203	WOODCHIPS	B (class: MHB)		
204	ZINC AND LEAD CALCINES (mixed) (included in Mineral concentrates)	A		
205	ZINC AND LEAD MIDDLEINGS (included in Mineral concentrates)	A		
206	ZINC ASHES UN 1435	B (class: 4.3)		Document of Compliance for the transport of dangerous goods, specific for this product class, is required!
207	ZINC CONCENTRATE (included in Mineral concentrates)	A		
208	ZINC SINTER (included in Mineral concentrates)	A		
209	ZINC SLAG	A		
210	ZINC SLUDGE (included in Mineral concentrates)	A		
211	ZIRCON KYANITE CONCENTRATE	A		
212	ZIRCONSAND	C		
213	ZINC OXIDE ENRICHED FLUE DUST	A		

ENDORSEMENT FOR ANNUAL SURVEYS

THIS IS TO CERTIFY that the ship was found to comply with the relevant provisions of the International Maritime Solid Bulk Cargoes (IMSBC) Code.

Annual Survey	Signature and seal
Place XXX-Not applicable- XXX	XXX-Not applicable- XXX
Date	
Annual Survey	Signature and seal
Place XXX-Not applicable- XXX	XXX-Not applicable- XXX
Date	
Annual Survey	Signature and seal
Place	
Date	
Annual Survey	Signature and seal
Place	
Date	