

**DOCUMENT OF COMPLIANCE****Special Requirements for Ships carrying Dangerous Goods**

Issued in pursuance of the requirement of Regulation II-2/19.4 of the International Convention for the Safety of Life at Sea, 1974, as amended under the authority of the Government of

**IRELAND**

By BUREAU VERITAS MARINE & OFFSHORE

Name of Ship BV No : <b>32057W</b>	Distinctive Number or Letters	Port of Registry	Ship Type	IMO Number
<b>ARKLOW ARROW</b>	EIXT4	ARKLOW	General cargo ship	9851971

**THIS IS TO CERTIFY:**

1. That the construction and equipment of the above mentioned ship was found to comply with the provisions of Regulation II-2/19 of the International Convention for the Safety of Life at Sea, 1974, as amended; and
2. That the ship is suitable for carriage of those classes of dangerous goods as specified in the appendix hereto, subject to any provisions in the International Maritime Dangerous Goods (IMDG) Code and the International Maritime Solid Bulk Cargoes (IMSBC) Code for individual substances also being complied with.

This document is valid until **04 February 2026**

Completion date of the survey on which this certificate is based : 05 February 2021

Issued at Newcastle, UK, on the 27 February 2025

**BUREAU VERITAS  
MARINE & OFFSHORE**

Lisa Hardy



This document is electronically signed and does not require a manual signature as defined in IMO guideline FAL.5-Circ.39.

[Click here for the verification website](#)




By Order of the Secretary

*Note : There are no special requirements in above mentioned Regulation II-2/19 for the carriage of dangerous goods of Classes 6.2 and 7 and for the carriage of dangerous goods in limited quantities, as required in Chapter 3.4 of the IMDG Code, and excepted quantities, as required in chapter 3.5 of the IMDG Code.*


**APPENDIX TO DOCUMENT OF COMPLIANCE**  
**No: LDR0/DHK/20250227150440**

**SPACES TO BE INDICATED IN PLAN WITH NUMBERS**  
**CORRESPONDING WITH TABLE**

Name of Ship BV No : <b>32057W</b>	Distinctive Number or Letters	Port of Registry	Ship Type	IMO Number
<b>ARKLOW ARROW</b>	EIXT4	ARKLOW	General cargo ship	9851971



**UNDERDECK SPACES**



**ON DECK SPACES**

See attached plan in annex

## SPACE

Class \ Hold	Deck	Hold 1	Hold 2
1.1 - 1.6	P	X	X
1.4.S	P	P	P
2.1	P	P4	P4
2.2	P	P	P
2.3 flammable	P	P4,5	P4,5
2.3 non-flammable	P	P	P
3 FP < 23°C	P	X	X
3 FP ≥ 23°C - ≤ 60°C	P	P	P
4.1	P	A1	A1
4.2	P	A1,6	A1,6
4.3 liquids	P	P4,7	P4,7
4.3 solids	P	P	P
5.1	P	A1	A1
5.2	P	X	X
6.1 liquids FP < 23°C	P	X	X
6.1 liquids FP ≥ 23°C - ≤ 60°C	P	X	X
6.1 liquids	P	X	X
6.1 solids	P	A	A
8 liquids FP < 23°C	P	X	X
8 liquids FP ≥ 23°C - ≤ 60°C	P	P2	P2
8 liquids	P	P3	P3
8 solids	P	A	A
9	P	A4	A4

**P indicates  
PACKAGED  
GOODS  
PERMITTED**

**A indicates  
PACKAGED  
and BULK  
GOODS  
ALLOWED**

**X  
NOT  
ALLOWED**

Remarks related to information in the table as applicable: ☒ see annex

NOTE : Cargoes in bulk may be listed individually by name and class

Attention is also to be paid to stowage and segregation provisions of the IMDG Code

(1) [specific for Bulk transport only] Electrical equipment which is not essential for the safety and operation of the ship and which is not of a type approved for use in the considered area shall be:

- completely disconnected by appropriate means other than fuses at a point external to the space
- protected against unauthorized re-connection

(2) Class 8 liquids  $23 \leq FP \leq 60$  °C having subsidiary risk class 6.1 are prohibited

(3) Class 8 liquids having subsidiary risk class 6.1 are prohibited

(4) Electrical equipment which is not essential for the safety and operation of the ship and which is not of a type approved for use in the considered area shall be:

- completely disconnected by appropriate means other than fuses at a point external to the space
- protected against unauthorized re-connection

(5) Under the provision of IMDG Code, stowage of class 2.3 having subsidiary risk class 2.1 under deck or in enclosed ro-ro space is prohibited

(6) [specific for Bulk transport only] The following dangerous goods class 4.2 are not allowed:

- Seed cake, containing vegetable oil (b) UN 1386 solvent extractions ONLY, containing not more than 10% of oil and when the amount of moisture is higher than 10%, not more than 20% of oil and moisture combined

- Seed cake with not more than 1.5% oil and not more than 11% moisture (UN2217)

(7) Under the provision of IMDG Code, stowage of class 4.3 liquids having a flashpoint less than 23°C under deck or in enclosed ro-ro space is prohibited

Space identification:

Deck: Weather Deck

Hold 1: Cargo hold 1

Hold 2: Cargo hold 2

